



OTTONE

www.ottone.pl



PL

Zawory odcinające

EN



Lockshields

PL


Zawory termostatyczne zasilające

EN


Thermostatizable and thermostatic




Art.
0673 - 0670




Art.
0678 - 0676




Art.
0675 - 0672




Art.
0677 - 0679




Art.
0674 - 0671




Art.
0613 - 0633
0610 - 0640




Art.
0479 - 0619
0477 - 0617



Art.
0615 - 0635
0612 - 0632



Art.
0618 - 0478
0616 - 0469



Art.
0614 - 0634
0611 - 0631



Art. 0481

∅ 15



Art. 0483

∅ 11.5/12-16




2 - 130° C (36-266° F)
Max 10 bar (145 psi)




Zawory odcinające/Lockshield valves

Konopie - PTFE (Telefon)
Hemp - PTFE (Telefon)


1




2




3




4



5




6






Art. 0670-0673-0671-0674



Art. 0672-0675-0676-0678-0677-0679




2 - 130° C (36-266° F)
Max 10 bar (145 psi)




Zawory termostatyczne zasilające/Thermostatizable and thermostatic

Konopia - PTFE (Telefon)
Hemp - PTFE (Telefon)


1




2



3




4




Art. 0093


1




2



3






4





12



www.OTTONE.pl

OTTONE

Dystrybutor i gwarant:
Ottone Brzegowa Szczygieł Sidelko Sp. J.
 Głogoczków 996, 32-444 Głogoczków
 tel.: 600 892 333 • biuro@ottone.pl